Testing Laboratory

for Chinese Medicine **TLCM**

Certificate of Analysis

Product Name	Crocin II /西紅花苷 II	CH ₃ CH ₃ OH
Catalog Number	11061	HO CH ₃ CH ₃
Lot Number	110618	о н

Chemical Name Crocin II

Chemical Formula C₃₈H₅₃O₁₉

Chemical Family Terpenoids

Molecular Weight 814.83

CAS Number 55750-84-0
Appearance (Color) Dark red
Appearance (Form) Powder

Analytical Test

Test	Result	
Identity by LC/MS Analysis	Consistent with structure	
Purity by HPLC/DAD Analysis	≥98.0%	

Storage Conditions:

TLCM

Storage: Refer to label

Before use: Keep container tightly closed

TLCM certifies that this standard meets the specifications stated in this certificate and warrants this product to meet the stated criteria. Warranty does not apply after opening.

Date of Certificate: 12/05/2014

Room 6145, The Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong

www.hktlcm.com Email:stds@ust.hk Tel: 2358-7338 Fax: 2358-2551

Testing Laboratory

for Chinese Medicine **TLCM**

Product Analysis Report

Analytical Test

Test	Results	
Identity by LC/MS Analysis	Consistent with structure	
Purity by HPLC/DAD Analysis	≥ 98.0%	

Spectral and Physical Data

HPLC

HPLC system : Agilent Technologies 1200 Series

Column : Inertsil ODS-4 column, 4.6 x 250 mm, 5 μm

 $\begin{array}{lll} \text{Injection volume} & : & 10 \; \mu \text{l} \\ \text{Detector} & : & \text{DAD} \end{array}$

Detector wavelength: 440 nm

Flow rate : 1.0 mL/min

Mobile phase :

Time (min)	% Water	% MeOH	Flow rate (mL/min)
0 → 60	50	50	1.0

Date File Name : A3-D:\CHEM32\1\DATA\ROY'S QC\QC 2014-05-07

11-32-15\CROCIN II.D

Operator : DUAN Ran
Sample Lot Number : 110618
Method File : CROCIN.M
Acquired : 07/05/2014


TLCM Room 6145, The Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong

www.hktlcm.com Email:stds@ust.hk Tel: 2358-7338 Fax: 2358-2551

Testing Laboratory

for Chinese Medicine **TLCM**

I. HPLC chromatogram



Product	RT (min)	Area (mAu*s)	Relative Area %
Crocin II	24.299	14318.3	100.000

TLCM Room 6145, The Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong

www.hktlcm.com Email:stds@ust.hk Tel: 2358-7338 Fax: 2358-2551